



**BOLETÍN BIBLIOGRÁFICO BIBLIOTECA DE SALUD  
DR. BOGOSLAV JURICIC TURINA**

**Boletín Bibliográfico Nº4/ 2015**

La Biblioteca de Salud “Dr. Bogoslav Juricic Turina, dependiente de la División de Planificación Sanitaria del Ministerio de Salud, tiene el agrado de enviar a usted, el Boletín Bibliográfico Nº4/2015 sobre Emergencias en Desastres Naturales. [Seguir el vínculo para acceder al texto completo.](#)

**EMERGENCIAS EN DESASTRES NATURALES  
(Terremoto/Tsunami)**

- 1. Social Participation and Disaster Risk Reduction Behaviors in Tsunami Prone Areas.**  
Witvorapong N, Muttarak R, Pothisiri W.  
PLoS One. 2015 Jul 8;10(7):e0130862.
- 2. Challenges for resuming normal life after earthquake: a qualitative study on rural areas of Iran.**  
Alipour F, Khankeh HR, Fekrazad H, Kamali M, Rafiey H, Sarrami Ferooshani P, Rowell K, Ahmadi S.  
PLoS Curr. 2014 Oct 17;6.
- 3. Communicable diseases surveillance system in East azerbaijan earthquake: strengths and weaknesses.**  
Babaie J, Fatemi F, Ardalan A, Mohammadi H, Soroush M.  
PLoS Curr. 2014 Dec 8;6.
- 4. Unpredictable, unpreventable and impersonal medicine: global disaster response in the 21st century.**  
Andrews RJ, Quintana LM.  
EPMA J. 2015 Jan 22;6(1):2.
- 5. Site selection criteria for sheltering after earthquakes: a systematic review.**  
Soltani A, Ardalan A, Darvishi Bolorani A, Haghdoost A, Hosseinzadeh-Attar MJ.  
PLoS Curr. 2014 Aug 29;6.

**6. [Response of primary care teams to manage mental health problems after the 2010 earthquake].**

Vitriol V, Minoletti A, Alvarado R, Sierralta P, Cancino A.  
Rev Med Chil. 2014 Sep;142(9):1120-7.

**7. Nutrition and earthquakes: experience and recommendations.**

Tsuboyama-Kasaoka N, Purba MB.  
Asia Pac J Clin Nutr. 2014;23(4):505-13. Review.

**8. Effect of monthly vitamin D3 supplementation in healthy adults on adverse effects of earthquakes: randomised controlled trial.**

Slow S, Florkowski CM, Chambers ST, Priest PC, Stewart AW, Jennings LC, Livesey JH, Camargo CA Jr, Scragg R, Murdoch DR.  
BMJ. 2014 Dec 15;349:g7260.

**9. Development of the science of mass casualty incident management: reflection on the medical response to the Wenchuan earthquake and Hangzhou bus fire.**

Shen WF, Jiang LB, Jiang GY, Zhang M, Ma YF, He XJ.  
J Zhejiang Univ Sci B. 2014 Dec;15(12):1072-80.

**10. Enabling Rapid and Sustainable Public Health Research During Disasters: Summary of a Joint Workshop by the Institute of Medicine and the U.S. Department of Health and Human Services.**

Forum on Medical and Public Health Preparedness for Catastrophic Events, Board on Health Sciences Policy, Institute of Medicine.  
Washington (DC): National Academies Press (US); 2015 Apr 06.

**11. Development and use of a master health facility list: Haiti's experience during the 2010 earthquake response.**

Rose-Wood A, Heard N, Thermidor R, Chan J, Joseph F, Lerebours G, Zugaldia A, Konkel K, Edwards M, Lang B, Torres CR.  
Glob Health Sci Pract. 2014 Aug 5;2(3):357-65.

**12. Prevalence of psychiatric symptoms in children and adolescents one year after the 2009 L'Aquila earthquake.**

Feo P, Di Gioia S, Carloni E, Vitiello B, Tozzi AE, Vicari S.  
BMC Psychiatry. 2014 Sep 24;14:270.

**13. Active disaster response system for a smart building.**

Lin CY, Chu ET, Ku LW, Liu JW.  
Sensors (Basel). 2014 Sep 18;14(9):17451-70.

**14. [Comparison of the performance of three prehospital trauma scores in evaluation of injury severity among Lushan earthquake victims].**

He Y, Hu H, Jiang Y, Hu J, Li X, Yao Y, Zhu D, Liu B, Peng L, Wang J, Cao Y.  
Zhonghua Wei Zhong Bing Ji Jiu Yi Xue. 2014 Aug;26(8):581-4.

- 15. Rapid health needs assessment experience in 11 august 2012 East azerbaijan earthquakes: a qualitative study.**  
Babaie J, Moslehi S, Ardalan A.  
PLoS Curr. 2014 Jul 7;6. Pii
- 16. Restoration of accelerator facilities damaged by Great East Japan Earthquake at Cyclotron and Radioisotope Center, Tohoku University.**  
Wakui T, Itoh M, Shimada K, Yoshida HP, Shinozuka T, Sakemi Y.  
Tohoku J Exp Med. 2014;233(4):221-31.
- 17. Communication problems after the Great East Japan Earthquake of 2011.**  
Yamamura H, Kaneda K, Mizobata Y.  
Disaster Med Public Health Prep. 2014 Aug;8(4):293-6.
- 18. [Epidemic cholera in complex emergencies].**  
Campuzano Cuadrado P, Arcos González P.  
Rev Esp Salud Publica. 2014 Mar-Apr;88(2):191-201.
- 19. Prevention and treatment of traumatic brain injury due to rapid-onset natural disasters.**  
Regens JL, Mould N.  
Front Public Health. 2014 Apr 14;2:28.. Review.
- 20. Disaster medical assistance teams after earthquakes in iran: propose a localized model.**  
Abbasi M, Salehnia MH.  
Iran Red Crescent Med J. 2013 Sep;15(9):829-35.
- 21. What factors were important for dietary improvement in emergency shelters after the Great East Japan Earthquake?**  
Tsuboyama-Kasaoka N, Hoshi Y, Onodera K, Mizuno S, Sako K.  
Asia Pac J Clin Nutr. 2014;23(1):159-66.
- 22. Emergency care for acute myocardial infarction in disasters.**  
Ishii H, Yamamoto T, Murohara T.  
Circ J. 2014;78(3):586-7..
- 23. Emergency care of acute myocardial infarction and the great East Japan earthquake disaster.**  
Hao K, Takahashi J, Ito K, Miyata S, Sakata Y, Nihei T, Tsuburaya R, Shiroto T, Ito Y, Matsumoto Y, Nakayama M, Yasuda S, Shimokawa H; Miyagi AMI Registry Study Investigators.  
Circ J. 2014;78(3):634-43.
- 24. Challenges to the programmatic implementation of ready to use infant formula in the post-earthquake response, Haiti, 2010: a program review.**  
PLoS One. 2013 Dec 31;8(12):e84043.

- 25. [Role of pharmacists during serious natural disasters: report from Ishinomaki, the disaster-struck city].**  
Tanno Y.  
Yakugaku Zasshi. 2014;134(1):19-23. Review. Japanese.
- 26. [Role of pharmacists in disaster medicine: required knowledge and skills].**  
Nakura H.  
Yakugaku Zasshi. 2014;134(1):3-6. Review. Japanese.
- 27. Organization and implementation of mass medical rescue after an earthquake.**  
Zhang YL.  
Mil Med Res. 2014 Apr 22;1:5.
- 28. Factors affecting household adoption of an evacuation plan in American Samoa after the 2009 earthquake and tsunami.**  
Apatu EJ, Gregg CE, Richards K, Sorensen BV, Wang L.  
Hawaii J Med Public Health. 2013 Aug;72(8):267-72.
- 29. Rapid monitoring in vaccination campaigns during emergencies: the post-earthquake campaign in Haiti.**  
Rainey JJ, Sugerman D, Brennan M, Cadet JR, Ernsly J, Lacapère F, Danovaro-Holliday MC, Mubalama JC, Nandy R.  
Bull World Health Organ. 2013 Dec 1;91(12):957-62.
- 30. Mental health training experiences among Haitian healthcare workers post-earthquake 2010.**  
Cianelli R, Wilkinson C, Mitchell E, Anglade D, Nicolas G, Mitrani V, Peragallo N.  
Int Nurs Rev. 2013 Dec;60(4):528-35.
- 31. [Comparative analysis of the clinical characteristics of orthopedic inpatients in Lushan and Wenchuan earthquakes].**  
Shi XJ, Wang GL, Pei FX, Song YM, Yang TF, Tu CQ, Huang FG, Liu H, Lin W.  
Beijing Da Xue Xue Bao. 2013 Oct 18;45(5):688-92.
- 32. Occurrence of cardiovascular events after the 2011 Great East Japan Earthquake and tsunami disaster.**  
Nozaki E, Nakamura A, Abe A, Kagaya Y, Kohzu K, Sato K, Nakajima S, Fukui S, Endo H, Takahashi T, Seki H, Tamaki K, Mochizuki I.  
Int Heart J. 2013;54(5):247-53.
- 33. Study of the severity of musculoskeletal injuries and triage during the 2005 Pakistan earthquake.**  
Awais S, Saeed A.  
Int Orthop. 2013 Aug;37(8):1443-7.

- 34. Effective use of household water treatment and safe storage in response to the 2010 Haiti earthquake.**  
Lantagne D, Clasen T.  
Am J Trop Med Hyg. 2013 Sep;89(3):426-33.
- 35. [Clinical characteristics of pediatric victims in the Lushan and Wenchuan earthquakes and experience of medical rescue].**  
Jiang X, Xiang B, Liu LJ, Liu M, Tang XY, Huang LG, Li Y, Peng MX, Xin WQ.  
Zhongguo Dang Dai Er Ke Za Zhi. 2013 Jun;15(6):419-22.
- 36. [Types of pediatric trauma in earthquake and key points of treatment].**  
Zhang TC.  
Zhongguo Dang Dai Er Ke Za Zhi. 2013 Jun;15(6):416-8.
- 37. Deterioration in regional health status after the acute phase of a great disaster: respiratory physicians' experiences of the Great East Japan Earthquake.**  
Ohkouchi S, Shibuya R, Yanai M, Kikuchi Y, Ichinose M, Nukiwa T.  
Respir Investig. 2013 Jun;51(2):50-5.
- 38. Analysis of burn cases observed after the 2011 Van earthquake.**  
Dursun R, Karadaş S, Görmeli G, Işık Y, Cakır C, Görmeli CA.  
Ulus Travma Acil Cerrahi Derg. 2013 May;19(3):251-5.
- 39. [The particularity of rescue technology and equipment in earthquake confined space].**  
Liu YH, Yang HN, Zheng JC.  
Zhonghua Wei Zhong Bing Ji Jiu Yi Xue. 2013 May;25(5):272-3.
- 40. [Discussion about health assessment and epidemic prevention mode for China National Earthquake Disaster Emergency Search and Rescue Team in Lushan earthquake].**  
Yang HN, Liu YH, Liu HL, Wang F, Hu LB, Zheng JC.  
Zhonghua Wei Zhong Bing Ji Jiu Yi Xue. 2013 May;25(5):270-1.
- 41. [Medical rescue of China National Earthquake Disaster Emergency Search and Rescue Team in Lushan earthquake].**  
Liu YH, Yang HN, Liu HL, Wang F, Hu LB, Zheng JC.  
Zhonghua Wei Zhong Bing Ji Jiu Yi Xue. 2013 May;25(5):265-7.
- 42. [Implementation of telemedicine services in the earthquake disaster relief: the best medical experts provide direct medical service to the affected people].**  
Li TS, Chai JK.  
Zhonghua Wei Zhong Bing Ji Jiu Yi Xue. 2013 May;25(5):262-4.
- 43. [Centralization, dynamic triage and multidisciplinary teamwork on the platform of critical care medicine: the key of success during the rescue of 4/20 Lushan earthquake victims].**  
An YZ.  
Zhonghua Wei Zhong Bing Ji Jiu Yi Xue. 2013 May;25(5):257-9.

- 44. Tuberculosis exposure among evacuees at a shelter after earthquake, Japan, 2011.**  
Kanamori H, Aso N, Tadano S, Saito M, Saito H, Uchiyama B, et al.  
Emerg Infect Dis. 2013 May;19(5):799-801.
- 45. Impact of a large-scale natural disaster on patients with chronic obstructive pulmonary disease: the aftermath of the 2011 Great East Japan Earthquake.**  
Kobayashi S, Hanagama M, Yamanda S, Satoh H, Tokuda S, et al.  
Respir Investig. 2013 Mar;51(1):17-23.
- 46. Infectious complications in patients with crush syndrome following the Wenchuan earthquake.**  
Zhang H, Zeng JW, Wang GL, Tu CQ, Huang FG, Pei FX.  
Chin J Traumatol. 2013;16(1):10-5.
- 47. [Epidemiological profile of deaths after the 2010 earthquake in Chile].**  
Lastra T J, Guzmán C G, Conejeros R C, Suárez V G, Chávez F O.  
Rev Med Chil. 2012 Jun;140(6):732-9.
- 48. Mobile device-based reporting system for Sichuan earthquake-affected areas infectious disease reporting in China.**  
Guo Y, Su XM.  
Biomed Environ Sci. 2012 Dec;25(6):724-9.
- 49. Assessing disaster preparedness among latino migrant and seasonal farmworkers in eastern North Carolina.**  
Burke S, Bethel JW, Britt AF.  
Int J Environ Res Public Health. 2012 Aug 30;9(9):3115-33.
- 50. An overview of respiratory medicine during the Tsunami Disaster at Tohoku, Japan, on March 11, 2011.**  
Nukiwa T.  
Respir Investig. 2012 Dec;50(4):124-8.
- 51. Emergency/disaster medical support in the restoration project for the Fukushima nuclear power plant accident.**  
Morimura N, Asari Y, Yamaguchi Y, Asanuma K, Tase C, Sakamoto T, Aruga T; Members of the Japanese Association for Acute Medicine, Emergency, Task Force on the Fukushima Nuclear Power Plant Accident (JAAM-TF-FNPPA).  
Emerg Med J. 2013 Dec;30(12):997-1002.
- 52. Personality and resilience associated with perceived fatigue of local government employees responding to disasters.**  
Kitamura H, Shindo M, Tachibana A, Honma H, Someya T.  
J Occup Health. 2013;55(1):1-5.

- 53. Assessing the impact of workshops promoting concepts of psychosocial support for emergency events.**  
Johal S.  
PLoS Curr. 2012 Sep 17;4
- 54. The impact of the Great East Japan earthquake on mandatory psychiatric emergency hospitalizations in Tokyo: a retrospective observational study.**  
Aoki A, Aoki Y, Harima H.  
Transl Psychiatry. 2012 Oct 9;2
- 55. Hyponatraemia in patients with crush syndrome during the Wenchuan earthquake.**  
Zhang L, Fu P, Wang L, Cai G, Zhang L, Chen D, Guo D, Sun X, Chen F, Bi W, Zeng X, Li H, Liu Z, Wang Y, Huang S, Chen X; Wenchuan earthquake-related AKI study group.  
Emerg Med J. 2013 Sep;30(9):745-8.
- 56. Lessons learned from the Japan earthquake and tsunami, 2011.**  
Fuse A, Yokota H.  
J Nippon Med Sch. 2012;79(4):312-5.
- 57. [Evaluation of the patients in Van Training and Research Hospital following the 2011 Van earthquake in Turkey].**  
Dursun R, Görmeli CA, Görmeli G.  
Ulus Travma Acil Cerrahi Derg. 2012 May;18(3):260-4.
- 58. The clinical profile of musculoskeletal injuries associated with the 2011 Van earthquake in Turkey.**  
Görmeli G, Görmeli CA, Güner S, Ceylan MF, Dursun R.  
Eklem Hastalik Cerrahisi. 2012;23(2):68-71.
- 59. Mental health in L'Aquila after the earthquake.**  
Stratta P, de Cataldo S, Bonanni R, Valenti M, Masedu F, Rossi A.  
Ann Ist Super Sanita. 2012;48(2):132-7.
- 60. Pain after earthquake.**  
Angeletti C, Guetti C, Papola R, Petrucci E, Ursini ML, Ciccozzi A, Masi F, Russo MR, Squarcione S, Paladini A, Pergolizzi J, Taylor R Jr, Varrassi G, Marinangeli F.  
Scand J Trauma Resusc Emerg Med. 2012 Jun 29;20:43.
- 61. High prevalence of deep vein thrombosis in tsunami-flooded shelters established after the great East-Japan earthquake.**  
Ueda S, Hanzawa K, Shibata M, Suzuki S.  
Tohoku J Exp Med. 2012;227(3):199-202.
- 62. Stress-induced intestinal necrosis resulting from severe trauma of an earthquake.**  
Gong JQ, Zhang GH, Tian FZ, Wang YH, Zhang L, Cao YK, Wang PH.  
World J Gastroenterol. 2012 May 7;18(17):2127-31.

- 63. Peritraumatic distress, watching television, and posttraumatic stress symptoms among rescue workers after the Great East Japan earthquake.**  
Nishi D, Koido Y, Nakaya N, Sone T, Noguchi H, Hamazaki K, Hamazaki T, Matsuoka Y.  
PLoS One. 2012;7(4):e35248.
- 64. The Fukushima radiological emergency and challenges identified for future public health responses.**  
Miller CW.  
Health Phys. 2012 May;102(5):584-8.
- 65. Pressure ulcer occurrence following the great East Japan Earthquake: observations from a disaster medical assistance team.**  
Sato T, Ichioka S.  
Ostomy Wound Manage. 2012 Apr;58(4):70-5.
- 66. Comparison of two large earthquakes: the 2008 Sichuan Earthquake and the 2011 East Japan Earthquake.**  
Otani Y, Ando T, Atobe K, Haiden A, Kao SY, Saito K, Shimanuki M, Yoshimoto N, Fukunaga K.  
Keio J Med. 2012;61(1):35-9.
- 67. The medical association activity and pediatric care after the earthquake disaster in Fukushima.**  
Kikuchi S, Kikuchi T.  
Keio J Med. 2012;61(1):23-7.
- 68. Medical response to the 2009 Sumatra earthquake: health needs in the post-disaster period.**  
Tan CM, Lee VJ, Chang GH, Ang HX, Seet B.  
Singapore Med J. 2012 Feb;53(2):99-103.
- 69. Mental health response in Haiti in the aftermath of the 2010 earthquake: a case study for building long-term solutions.**  
Raviola G, Eustache E, Oswald C, Belkin GS.  
Harv Rev Psychiatry. 2012 Jan-Feb;20(1):68-77.
- 70. [What has been brought to residents and communities by the nuclear power plant accident? Special and serious disaster relief procedure modification after the 2011 Tohoku earthquake and tsunami in Fukushima].**  
Ishikawa K.  
Nihon Ronen Igakkai Zasshi. 2011;48(5):489-93.
- 71. [Major medical issues in the disaster elderly by M-9 earthquake on March 11, 2011].**  
Okinaga S.  
Nihon Ronen Igakkai Zasshi. 2011;48(5):485-8.



- 72. Integrating oral health into Haiti's National Health Plan: from disaster relief to sustainable development.**  
Estupiñán-Day S, Lafontant C, Acuña MC.  
Rev Panam Salud Publica. 2011 Nov;30(5):484-9.
- 73. Medical relief activities conducted by Nippon Medical School in the acute phase of the Great East Japan Earthquake 2011.**  
Fuse A, Shuto Y, Ando F, Shibata M, Watanabe A, Onda H, Masuno T, Yokota H.  
J Nippon Med Sch. 2011;78(6):397-400.
- 74. [The 2010 earthquake in Chile: the response of the health system and international cooperation].**  
López Tagle E, Santana Nazarit P.  
Rev Panam Salud Pública. 2011 Aug;30(2):160-6. Review. Spanish.
- 75. Lessons learned during public health response to cholera epidemic in Haiti and the Dominican Republic.**  
Tappero JW, Tauxe RV.  
Emerg Infect Dis. 2011 Nov;17(11):2087-93. Erratum in: Emerg Infect Dis. 2011 Dec;17(12):2399.
- 76. Attenuating posttraumatic distress with omega-3 polyunsaturated fatty acids among disaster medical assistance team members after the Great East Japan Earthquake: the APOP randomized controlled trial.**  
Matsuoka Y, Nishi D, Nakaya N, Sone T, Hamazaki K, Hamazaki T, Koido Y.  
BMC Psychiatry. 2011 Aug 16;11:132.
- 77. The earthquake and tsunami--observations by Japanese physicians since the 11 March catastrophe.**  
Nagamatsu S, Maekawa T, Ujike Y, Hashimoto S, Fuke N; Japanese Society of Intensive Care Medicine.  
Crit Care. 2011;15(3):167. Review.
- 78. [Blood supply during disasters: the experience of Chile in 2010].**  
Vásquez M, Maldonado M, Tagle F, León S, Soto A, Mena A, Toro C.  
Rev Panam Salud Publica. 2011 May;29(5):365-70.
- 79. Facilitators and obstacles in pre-hospital medical response to earthquakes: a qualitative study.**  
Djalali A, Khankeh H, Öhlén G, Castrén M, Kurland L.  
Scand J Trauma Resusc Emerg Med. 2011 May 16;19:30.
- 80. People's perspectives and expectations on preparedness against earthquakes: Tehran case study.**  
Jahangiri K, Izadkhah YO, Montazeri A, Hosseinip M.  
J Inj Violence Res. 2010 Jun;2(2):85-91.

- 81. Headache prevalence in the population of L'Aquila (Italy) after the 2009 earthquake.**  
Guetti C, Angeletti C, Papola R, Petrucci E, Ursini ML, Ciccozzi A, Marinangeli F, Paladini A, Varrassi G.  
J Headache Pain. 2011 Apr;12(2):245-50.
- 82. Dialysis practice and patient outcome in the aftermath of the earthquake at L'Aquila, Italy, April 2009.**  
Bonomini M, Stuard S, Dal Canton A.  
Nephrol Dial Transplant. 2011 Aug;26(8):2595-603.
- 83. Public health in Haiti--challenges and progress.**  
Dowell SF, Tappero JW, Frieden TR.  
N Engl J Med. 2011 Jan 27;364(4):300-1.
- 84. Operation earthquake 2011: Christchurch earthquake disaster victim identification.**  
Tren Grove H.  
J Forensic Odontostomatol. 2011 Dec 1;29(2):1-7.
- 85. Application of information technology within a field hospital deployment following the January 2010 Haiti earthquake disaster.**  
Levy G, Blumberg N, Kreiss Y, Ash N, Merin O.  
J Am Med Inform Assoc. 2010 Nov-Dec;17(6):626-30.
- 86. Water and sanitation in health emergencies: the role of WHO in the response to the earthquake in Haiti, 12 January 2010.**  
[No authors listed]  
Wkly Epidemiol Rec. 2010 Sep 3;85(36):349-54. English, French. No abstract available.
- 87. When the earth trembles in the Americas: the experience of Haiti and Chile 2010.**  
Vanholder R, Borniche D, Claus S, Correa-Rotter R, Crestani R, Ferir MC, Gibney N, Hurtado A, Luyckx VA, Portilla D, Rodriguez S, Sever MS, Vanmassenhove J, Wainstein R.  
Nephron Clin Pract. 2011;117(3):c184-97. Review.
- 88. Launching a National Surveillance System after an earthquake --- Haiti, 2010.**  
Centers for Disease Control and Prevention (CDC).  
MMWR Morb Mortal Wkly Rep. 2010 Aug 6;59(30):933-8. Erratum in: MMWR Morb Mortal Wkly Rep. 2010 Aug 13;59(31):993.
- 89. [Reflections and feelings from a team of volunteers from the Ministry of Health and the Chilean Medical Association, after the recent earthquake].**  
O'Ryan G M.  
Rev Med Chil. 2010 Mar;138(3):270-3.
- 90. Civil-military collaboration in the initial medical response to the earthquake in Haiti.**  
Auerbach PS, Norris RL, Menon AS, Brown IP, Kuah S, Schwieger J, Kinyon J, Helderman TN, Lawry L.  
N Engl J Med. 2010 Mar 11;362(10):e32.

**91. Experience with mass casualties in a subcontinent earthquake.**

Yasin MA, Malik SA, Nasreen G, Safdar CA.  
Ulus Travma Acil Cerrahi Derg. 2009 Sep;15(5):487-92.

**92. Use of mobile phones in an emergency reporting system for infectious disease surveillance after the Sichuan earthquake in China.**

Yang C, Yang J, Luo X, Gong P.  
Bull World Health Organ. 2009 Aug;87(8):619-23.

**93. Relationship between the Noto-Peninsula earthquake and maternal postnatal depression and child-rearing.**

Hibino Y, Takaki J, Kambayashi Y, Hitomi Y, Sakai A, Sekizuka N, Ogino K, Nakamura H.  
Environ Health Prev Med. 2009 Sep;14(5):255-60.

**94. Practical strategies to reduce morbidity and mortality of natural catastrophes: a retrospective study based on Bam earthquake experience.**

Najafi I, Safari S, Sharifi A, Sanadgol H, Hosseini M, Rashid-Farokhi F, Seirafian S, Mooraki A, Samimagham H, Osare S, Pourfarziani V, Atabak S, Boroumand B.  
Arch Iran Med. 2009 Jul;12(4):347-52.

**95. [Epidemiologic features of victims taken care by emergency service in the "5.12" Wenchuan earthquake].**

Xu SY, Cao Y, Wang YP.  
Zhongguo Wei Zhong Bing Ji Jiu Yi Xue. 2008 Jun;20(6):360.

**96. Earthquake disasters--lessons to be learned.**

Peleg K, Reuveni H, Stein M.  
Isr Med Assoc J. 2002 May;4(5):361-5. Review.

**97. Morbidity following Mexico City's 1985 earthquakes: clinical and epidemiologic findings from hospitals and emergency units.**

Sánchez-Carrillo CI.  
Public Health Rep. 1989 Sep-Oct;104(5):482-8.

**98. Medical preparedness for disaster.**

STEIN JJ.  
Calif Med. 1959 May;90(5):353-5.